



TECHNICAL DATA:

Easily accessible device, according to standard EN 1176-1:2017

Device dimensions: 11,74 x 9,31m

Device height: 3,75m

Minimum space: 14,51 x 12,12m

Falling area: 114,90m²


Critical fall height: 1,36m Foundations depth: -0,60m

The device according to EN 1176-1:2017 Playground equipment and surfacing – Part 1: General safety requirements and test methods

Safety surfaces:

- sand, gravel, bark, synthetic surface
- minimal thickness for loose particulate materials 200+100mm
- synthetic surface according to critical fall height

Top view with falling area



COMPONENTS: MATERIALS: Tower with roof, platform 136cm 1pc Construction poles: steel square profiles, galvanized, powder coated in gray Tower with roof, platform 30cm 1pc Flat decorative elements: HDPE sheets Tower without roof, platform 30cm 1pc Platforms, gangways: waterproof plywood, with anti-slip Tower without roof, wide gangplank 30cm 1 pc layer, based on steel structure Vertical ladder 1pc Steel elements: galvanized steel, Wide balcony 1pc powder coated Wide tower with roof 30cm 1pc Chains: galvanized steel Tic Tac Toe game 1pc polypropylene braided with a steel, Ropes: Arched wide bridge 1pc interconnected by plastic fasteners Balcony 1pc Surface of slide: stainless steel Big platform 30 cm 1pc Drums: rotomolded polypropylene Diagonal rope tunnel 1pc Tic tac toe: polypropylene rolls, painted in the Drawing board 1pc screen printing technique Driveway gangplank 30cm 2 pcs Caps: plastic Entry stairs 136cm 1pc Foundations: concrete min. C12/15 standard Slide 136cm 1pc Slit drum 1pc



GRUPA SATERNUS S. A. ul. Nowa 32 41-500 Chorzów, Poland

Certificate beholder: Producer: Distributor: GRUPA SATERNUS S. A., reserves all rights to protect copyright Under the Act of February 4, 1994 on Copyright and Related Rights (Journal of Laws No. 28, item 83), and in particular Art. 78 and 79 of this Law.