















## TECHNICAL DATA:

Not easily accessible device, according to standard EN 1176-1:2017


Device dimensions: 4,12 x 3,69m
Device height: 3,60m
Minimum space: 7,06 x 7,14m
Falling area: 34,44m²
Critical fall height: 0,90m
Foundations depth: -0,60m

The device according to EN 1176-1:2017 Playground equipment and surfacing – Part 1: General safety requirements and test methods

## Safety surfaces:

- turf / topsoil, sand, gravel, bark, synthetic surface
- minimal thickness for loose particulate materials 200+100mm
- synthetic surface according to critical fall height

## Top view with falling area



## **COMPONENTS: MATERIALS:** Tower without roof, platform 0,90m 1 pc Construction poles: steel square profiles, galvanized, Tower with roof, platform 0,90m powder coated in gray 1 pc Slide 0,90m 1 pc Flat decorative elements: HDPE sheets Fireman's pole 0,90m 1 pc Platforms: waterproof plywood, with anti-slip layer, based on steel structure Corner climbing wall 0,90m 1 pc Slope gangway 0,90m 1 pc Steel elements: galvanized steel, powder coated Tunnel passage 1 pc Surface of slide: stainless steel Balcony 1 pc Climbing walls: waterproof plywood, Little shop 1 pc climbing grips based on resins Tunnel: PVC pipe fastened to HDPE boards Caps: plastic Foundations: concrete min. C12/15 standard



GRUPA SATERNUS S.A. ul. Nowa 32 41-500 Chorzów, Poland

Certificate beholder: Producer: Distributor: GRUPA SATERNUS S.A.. reserves all rights to protect copyright Under the Act of February 4, 1994 on Copyright and Related Rights (Journal of Laws No. 28, pc 83), and in particular Art. 78 and 79 of this Law.