

TECHNICAL DATA:

Not easily accessible device, according to standard EN 1176-1:2017


Device dimensions: 4,33 x 1,74m
Device height: 3,45m
Minimum space: 7,94 x 4,56m
Falling area: 25,02m²
Critical fall height: 1,75m
Foundations depth: -0,60m

The device according to EN 1176-1:2017 Playground equipment and surfacing – Part 1: General safety requirements and test methods

Safety surfaces:

- sand, gravel, bark, synthetic surface
- minimal thickness for loose particulate materials 200+100mm
- synthetic surface according to critical fall height

Top view with falling area



COMPONENTS: MATERIALS: Tower with roof, platform 0,90m 1 pc glued laminated pine timber, Construction poles: Climbing wall 0,90m 1 pc varnish painted dark brown Vertical ladder 1 pc Anchors: galvanized steel Slide 0,90m 1 pc Flat decorative elements: HDPE sheets Fireman's pole 0,90m 1 pc Platforms: impregnated pinewood boards, Arched rope net 1 pc with machined anti-skid surface Steel elements: galvanized steel, powder coated Surface of slope slide: stainless steel Climbing walls: waterproof plywood, climbing grips, based on resins polypropylene braided with a steel, Ropes: interconnected by plastic fasteners Caps: plastic Foundations: concrete min. C12/15 standard



SATERNUS DISTRIBUTION Sp. z o.o. sp.k. ul. Nowa 32 41-500 Chorzów, Poland

Certificate beholder: Producer: Distributor: GRUPA SATERNUS Sp. z o.o. S. K. A. reserves all rights to protect copyright under the Act of February 4, 1994 on Copyright and Related Rights (Journal of Laws No. 28, pc 83), and in particular Art. 78 and 79 of this Law.