

DANE TECHNICZNE:

Easily accessible device, according to standard EN 1176-1:2017


Device dimensions: 7,06 x 4,25m 3,20m Device height: 10,92 x 7,05m Minimum space: 59,61m² Falling area: Critical fall height: 0,90m Foundations depth: -0,60m

The device according to EN 1176-1:2012 Playground equipment and surfacing - Part 1: General safety requirements and test methods.

Safety surfaces:

- turf/topsoil, sand, gravel, bark, synthetic surfaceminimal thickness for loose particulate materials 200+100mm
- synthetic surface according to critical fall height

Projection and device view



COMPONENTS: MATERIALS: Tower with roof, platform 0,30m: 2 pcs Construction poles: steel square profiles, galvanized, Tower with roof, platform 0,90m: 2 pcs powder coated in gray Tower without roof, platform 0,30m: 2 pcs Flat decorative elements: HDPE sheets Tower without roof, platform 0,55m: 1 pc Platforms, gangways: waterproof plywood, with anti-slip Tower without roof, platform 0,90m: 1 pc layer, based on steel structure Climbing wall. 0,90m: 1pc Steel elements: galvanized steel, powder coated Vertical ladder: 3pcs Chains: galvanized steel Slide 0,55m: 1pc Surface of slope slide: stainless steel Slide 0,90m: 1pc shuttering waterproof plywood, Climbing walls: Fireman's pole 0,90m: 1pc climbing grips based on resins Rope bridge: 1pc Movable bridge: 1 pc Ropes: polypropylene braided with a steel, Tunnel passage: interconnected by plastic fasteners 1pc Drawing board: 1 pc Tunnel: PVC pipe, fastened to HDPE boards Drawing board: waterproof plywood, painted with blackboard paint Tic tac toe: polypropylene rolls, screen-printed Caps: plastic

Foundations:

concrete min. C12/15 standard



GRUPA SATERNUS S.A. ul. Nowa 32 41-500 Chorzów, Poland

Certificate beholder: Producer: Distributor: GRUPA SATERNUS Sp. z o.o. S. K. A. reserves all rights to protect copyright under the Act of February 4, 1994 on Copyright and Related Rights (Journal of Laws No. 28, pc 83), and in particular Art. 78 and 79 of this Law.