10079F LUIZA SET Ultra Collection





TECHNICAL DATA:

Device with easily and not easily accessible elements, according to standard EN 1176-1:2017

Device dimensions: 7,06 x 4,25m

Device height: 3,20m

Minimum space: 10,92 x 7,05m

Falling area: 57,14m²

Critical fall height: 0,90m


Foundations depth: -0,60m

The device according to EN 1176-1:2012 Playground equipment and surfacing – Part 1: General safety requirements and test methods.

Safety surfaces:

- turf/topsoil, sand, gravel, bark, synthetic surface
- minimal thickness for loose particulate materials 200+100mm
- synthetic surface according to critical fall height

Projection and device view



COMPONENTS: MATERIALS: Tower with roof, platform 0,90m 1 pc Construction poles: glued laminated pine timber, Tower with roof 1 pc rounded at the edges, Tower without roof, platform 0,90m 2 pcs varnish painted dark brown Tower without roof, platform 0,55m 1 pc Anchors: galvanized black steel Vertical ladder 4 pcs Flat decorative elements: HDPE sheets Slide, 0,55m 1 pc Platforms: impregnated pinewood boards, Slide, 0,90m 1 pc with machined anti-skid surface Fireman's pole, 0,90m 1 pc Steel elements: galvanized steel, powder coated Rope bridge 1 pc Chains: galvanized steel Movable bridge 1 pc Tunnel passage 1 pc Surface of slope slide: stainless steel Drawing board 1 pc Ropes: polypropylene braided with a steel, interconnected by plastic fasteners Drawing board: waterproof plywood, painted with blackboard paint PVC pipe, fastened to HDPE boards Tunnel: Caps: plastic concrete min. C12/15 standard Foundations:



SATERNUS DISTRIBUTION Sp. z o.o. sp.k. ul. Nowa 32 41-500 Chorzów, Poland

Certificate beholder: Producer: Distributor: GRUPA SATERNUS Sp. z o.o. S. K. A. reserves all rights to protect copyright under the Act of February 4, 1994 on Copyright and Related Rights (Journal of Laws No. 28, item 83), and in particular Art. 78 and 79 of this Law.