


**TECHNICAL DATA:**

Easily accessible device,  
according to standard EN 1176-1 : 2017


Device dimensions: 2,08 x 0,97m  
 Device height: 1,10m  
 Minimum space: 5,08 x 3,89m  
 Falling area: 17,83m<sup>2</sup>  
 Critical fall height: 0,60m  
 Foundations depth: -0,60m

**Top view with falling area**



The device according to EN 1176-1 : 2017  
 Playground equipment and surfacing – Part 1:  
 General safety requirements and test methods

Safety surfaces:  
 - turf/topsoil, sand, gravel, bark, synthetic surface  
 - minimal thickness for loose particulate materials 200+100mm  
 - synthetic surface according to critical fall height



## MATERIALS:

|                           |  |
|---------------------------|--|
| Construction poles:       | steel square profiles, galvanized, powder coated in gray |
| Steel elements:           | galvanized steel, powder coated                          |
| Flat decorative elements: | HDPE sheets  |
| Platform:                 | waterproof plywood                                       |
| Caps:                     | plastic  |
| Foundations:              | concrete min. C12/15 standard                            |



SATERNUS DISTRIBUTION Sp. z o.o. sp.k.  
ul. Nowa 32  
41-500 Chorzów, Poland

Certificate beholder:  
Producer:  
Distributor:

GRUPA SATERNUS Sp. z o.o. S. K. A. reserves all rights to protect copyright under the Act of February 4, 1994 on Copyright and Related Rights (Journal of Laws No. 28, item 83), and in particular Art. 78 and 79 of this Law.

GRUPA SATERNUS Sp. z o.o. S. K. A.  
Saternus Production Sp. z o.o. sp. k.  
Saternus Distribution Sp. z o.o. sp. k.