



15009**LAMB SPRING RIDER****TECHNICAL DATA:**


Device dimensions:	0,70m x 0,49m
Device height:	0,87m
Minimum space:	3,70 x 3,48m
Critical fall height:	0,45m
Falling area:	-0,60m
Depth of foundations:	10,98m ²

Top view with falling area

**The device according to EN 1176-1:2012
Playground equipment and surfacing – Part 1:
General safety requirements and test methods.**

Safety surfaces:

- turf/topsoil, sand, gravel, bark, synthetic surface
- minimal thickness for loose particulate materials 200+100mm
- synthetic surface according to critical fall height.



MATERIALS:

Decorative elements:	HDPE sheet
Handles, leg supports:	stainless steel pipes
Steel elements:	galvanized steel, powder coated
Spring:	spring steel, galvanized and powder coated in gray
Caps:	plastic
Foundation base:	steel structure
Foundations:	concrete class min. C12/15



GRUPA SATERNUS S.A.
ul. Nowa 32
41-500 Chorzów, Poland

Certificate beholder:
Producer:
Distributor:

GRUPA SATERNUS S.A. reserves all rights to protect copyright
Under the Act of February 4, 1994 on Copyright and Related Rights
(Journal of Laws No. 28, pc 83), and in particular Art. 78 and 79 of this Law.

GRUPA SATERNUS S.A.
Saternus Production Sp. z o.o. sp. k.
Saternus Distribution Sp. z o.o. sp. k.