

TECHNICAL DATA:

Easily accessible device, according to standard EN 1176-1: 2017


Device dimensions: 3,50 x 1,92m
Device height: 2,40m
Minimum space: 3,50 x 7,40m
Falling area: 25,90m²
Critical fall height: 1,25m
Foundations depth: -0,60m

The device according to EN 1176-1: 2017 Playground equipment and surfacing – Part 1: General safety requirements and test methods.

Safety surfaces:

- sand, gravel, bark, synthetic surface
- minimal thickness for loose particulate materials 200+100mm
- synthetic surface according to critical fall height

Projection and device view



MATERIALS: COMPONENTS: Supporting structure 1 set Construction poles: steel pipes, galvanized, Slat seat 1 pc powder coated in gray Basket seat 1 pc Steel elements: galvanized steel, powder coated made of steel construction, Seats: coated with rubber Chain: stainless steel, calibrated Caps: plastic Foundations: concrete min. C12/15 standard



GRUPA SATERNUS S. A. ul. Nowa 32 41-500 Chorzów, Poland

Certificate beholder: Producer: Distributor: GRUPA SATERNUS S. A.. reserves all rights to protect copyright Under the Act of February 4, 1994 on Copyright and Related Rights (Journal of Laws No. 28, item 83), and in particular Art. 78 and 79 of this Law.

GRUPA SATERNUS S. A. Saternus Production Sp. z o.o. sp. k. Saternus Distribution Sp. z o.o. sp. k.