

## TECHNICAL DATA:

Easily accessible device, according to standard EN 1176-1:2017


Device dimensions: 2,55 x 0,13m
Device height: 2,15m
Minimum space: 5,54 x 3,11m
Falling area: 15,27m²
Critical fall height: 0,60m
Foundations depth: -0,60m


The device according to EN 1176-1:2017 Playground equipment and surfacing – Part 1: General safety requirements and test methods

## Safety surfaces:

- paved, turf/topsoil, sand, gravel, bark, synthetic surface
- minimal thickness for loose particulate materials 200+100mm
- synthetic surface according to critical fall height

## **Projection and device view**





COMPONENTS:		MATERIALS:	
Supporting structure	1 set	Construction poles:	steel square profiles, galvanized,
Drawing board	3 pcs	·	powder coated in gray
		Drawing board:	waterproof plywood, painted with blackboard paint
		Caps:	plastic
		Foundations:	concrete min. C12/15 standard



GRUPA SATERNUS S.A. ul. Nowa 32 41-500 Chorzów, Poland

Certificate beholder: Producer: Distributor: GRUPA SATERNUS S.A. reserves all rights to protect copyright Under the Act of February 4, 1994 on Copyright and Related Rights (Journal of Laws No. 28, pc 83), and in particular Art. 78 and 79 of this Law.