

## **TECHNICAL DATA:**

Not easily accessible device, according to standard EN 1176-1:2017

Device dimensions: 8,87 x 7,02m Device height: 5,15m


Minimum space: 12,28 x 10,32m
Falling area: 70,61m<sup>2</sup>
Critical fall height: 2,10m
Foundations depth: -0,60m

The device according to EN 1176-1:2017 Playground equipment and surfacing – Part 1: General safety requirements and test methods

## Safety surfaces:

- sand, gravel, bark, synthetic surface
- minimal thickness for loose particulate materials 300+100mm
- synthetic surface according to critical fall height

## Top view with falling area



| ı | COMPONENTS:                                    |       | MATERIALS:                |                                     |
|---|--|-------|---------------------------|-------------------------------------|
|   |  |       |                           |                                     |
|   | Triangular tower without roof, platform 0,90m: | 3 pcs | Construction poles:       | galvanized steel pipes, powder      |
|   | Triangular tower without roof, platform 1,36m: | 3 pcs |                           | coated in brown                     |
|   | Triangular tower with roof, platform 0,60m:    | 1 pc  | Flat decorative elements: | HDPE sheets,                        |
|   | Triangular tower with roof, platform 0,90m:    | 3 pcs | Platforms, gangways:      | waterproof plywood, with anti-slip  |
|   | Triangular tower with roof, platform 1,36m:    | 1 pc  |                           | layer, based on steel structure     |
|   | Triangular tower with roof, platform 2,10m:    | 1 pc  | Steel elements:           | galvanized steel,                   |
|   | Slope gangway 0,90m:                           | 1 pc  |                           | powder coated                       |
|   | Vertical ladder:                               | 9 pcs | Surface of slope slide:   | stainless steel,                    |
|   | Vertical climbing wall 2,50m:                  | 1 pc  | Climbing walls:           | waterproof plywood, climbing grips, |
|   | Slide 1,36m:                                   | 1 pc  |                           | based on resins                     |
|   | Slide 2,10m:                                   | 1 pc  | Ropes:                    | polypropylene braided with a steel, |
|   | Fireman's pole 1,36m:                          | 1 pc  |                           | interconnected by plastic fasteners |
|   | Arched rope net:                               | 1 pc  | Tunnel:                   | PVC pipe fastened to HDPE boards    |
|   | Tunnel passage:                                | 1 pc  | Caps:                     | plastic                             |
|   | Flip tube:                                     | 2 pc  | Foundations:              | concrete min. C12/15 standard       |



GRUPA SATERNUS S. A. ul. Nowa 32 41-500 Chorzów, Poland

Certificate beholder: Producer: Distributor: GRUPA SATERNUS S. A.. reserves all rights to protect copyright Under the Act of February 4, 1994 on Copyright and Related Rights (Journal of Laws No. 28, item 83), and in particular Art. 78 and 79 of this Law.