




TECHNICAL DATA:

Not easily accessible device,
according to standard EN 1176-1:2017


- Device dimensions: 6,74 x 5,23m
- Device height: 3,75m
- Minimum space: 10,68 x 8,23m
- Falling area: 67,11m²
- Critical fall height: 2,20m
- Foundations depth: -0,60m

Top view with falling area



The device according to EN 1176-1:2012
Playground equipment and surfacing – Part 1:
General safety requirements and test methods

- Safety surfaces:
- sand, gravel, bark, synthetic surface
 - minimal thickness for loose particulate materials 300+100mm
 - synthetic surface according to critical fall height



COMPONENTS:

Tower without roof, platform 0,90m	1 pc
Tower without roof, platform 1,36m	2 pcs
Tower with roof, platform 0,90m	1 pc
Tower with roof, platform 1,36m	1 pc
Vertical climbing wall 1,36m	1 pc
Entry rope net 0,90m	1 pc
Vertical ladder	2 pcs
Slide 0,90m	1 pc
Slide 1,36m	1 pc
Fireman's pole 0,90m	1 pc
Fireman's pole 1,36m	1 pc
Rope bridge	1 pc
Slope bridge	1 pc
Mobile bridge	1 pc
Vertical rope net	1 pc

MATERIALS:

Construction poles:	steel square profiles, galvanized, powder coated in gray
Flat decorative elements:	HDPE sheets
Platforms:	waterproof plywood, with anti-slip layer, based on steel structure
Steel elements:	galvanized steel, powder coated
Surface of slide:	stainless steel
Climbing walls:	waterproof plywood, climbing grips based on resins
Ropes:	polypropylene braided with a steel, interconnected by plastic fasteners
Caps:	plastic
Foundations:	concrete min. C12/15 standard



GRUPA SATERNUS S. A.
ul. Nowa 32
41-500 Chorzów, Poland

Certificate holder:
Producer:
Distributor:

GRUPA SATERNUS S. A. reserves all rights to protect copyright
Under the Act of February 4, 1994 on Copyright and Related Rights
(Journal of Laws No. 28, item 83), and in particular Art. 78 and 79 of this Law.

GRUPA SATERNUS S. A.
Saternus Production Sp. z o.o. sp. k.
Saternus Distribution Sp. z o.o. sp. k.