


TECHNICAL DATA:

Easily accessible device according to EN 1176-1:2017


Device dimensions:	3,21m x 2,20m
Device height:	1,76m
Minimum space:	6,20m x 5,20m
Critical fall height:	0,80m
Falling area:	27,90 m ²
Foundations depth:	-0,60m

Top view with falling area



The device according to EN 1176-1:2017
 Playground equipment and surfacing – Part 1:
 General safety requirements and test methods

- Safety surfaces:**
- turf/topsoil, sand, gravel, bark, synthetic surface
 - minimal thickness for loose particulate materials 200+100mm
 - synthetic surface according to critical fall height



COMPONENTS:

Hide:	1 pc
European emergency number:	1 pc.
Fire brigade emergency number	1 pc.
Tunnel:	1 pc.
Entry steps in wall	1 pc.
Tower without roof, platform. 15 cm	1 pc.
Tower without roof, platform 90 cm	1 pc.
Horizontal rope	1 pc.

MATERIALS:

Construction poles:	square steel profiles, galvanized, powder coated in gray
Anchor:	galvanized steel
Decorative elements:	HDPE sheet
Platform:	made of impregnated pinewood, to prevent slipping,
Steel elements:	galvanized steel, powder coated
Climbing wall:	waterproof plywood, mountaineering handles
Ropes:	polypropylene on steel braided, connected through plastic connectors
Covers:	plastic
Foundations:	concrete class min. C12 / 15



SATERNUS DISTRIBUTION Sp. z o.o. sp.k.
ul. Nowa 32
41-500 Chorzów, Poland

Certificate holder:
Producer:
Distributor:

GRUPA SATERNUS Sp. z o.o. S. K. A. reserves all rights to protect copyright under the Act of February 4, 1994 on Copyright and Related Rights (Journal of Laws No. 28, item 83), and in particular Art. 78 and 79 of this Law.

GRUPA SATERNUS Sp. z o.o. S. K. A.
Saternus Production Sp. z o.o. sp. k.
Saternus Distribution Sp. z o.o. sp. k.