



TECHNICAL DATA

Easily accessible device,
according to standard EN 1176-1:2017



Device dimensions:	3,29 x 1,83m
Device height:	2,10m
Minimum space:	6,15 x 4,80m
Falling area:	26,00m ²
Critical fall height:	0,60m
Foundations depth:	-0,60m

The device according to EN 1176-1:2017
Playground equipment and surfacing – Part 1:
General safety requirements and test methods

Safety surfaces:

- paved, turf/topsoil, sand, gravel, bark, synthetic surface
- minimal thickness for loose particulate materials 200+100mm
- synthetic surface according to critical fall height

Projection and device view



COMPONENTS:

Supporting structure	1 set
Application "Crane"	1 set
Application "Tracks"	1 set
Tunnel passage	4 pcs
"Gears" panel	1 pc
"Gravitation" panel	1 pc
Drawing board	2 pcs
Winch with buckets	1 set

MATERIALS:

Construction poles:	steel square profiles, galvanized, powder coated in gray
Flat decorative elements:	HDPE sheets
Tunnel:	PVC pipe fastened to HDPE boards
Game panels:	maintenance free, integrated element
Drawing board:	waterproof plywood, covered with blackboard paint
Winch:	rubber bucket, stainless steel chain, steel braided polypropylene rope
Caps:	plastic
Foundations:	concrete min. C12/15 standard



GRUPA SATERNUS S.A.
ul. Nowa 32
41-500 Chorzów, Poland

Certificate beholder:
Producer:
Distributor:

GRUPA SATERNUS S.A. reserves all rights to protect copyright under the Act of February 4, 1994 on Copyright and Related Rights (Journal of Laws No. 28, pc 83), and in particular Art. 78 and 79 of this Law.

GRUPA SATERNUS S.A.
Saternus Production Sp. z o.o. sp. k.
Saternus Distribution Sp. z o.o. sp. k.