


TECHNICAL DATA:

Not easily accessible device,
according to standard EN 1176-1:2017

Device dimensions:	5,04 x 3,68m
Device height:	2,90m
Minimum space:	8,48 x 7,21m
Falling area:	46,97m ²
Critical fall height:	2,90m
Foundations depth:	-0,60m

Projection and device view



The device according to EN 1176-1:2017
Playground equipment and surfacing – Part 1:
General safety requirements and test methods


Safety surfaces:
- sand, gravel, bark, synthetic surface
- minimal thickness for loose particulate materials 300+100mm
- synthetic surface according to critical fall height

COMPONENTS:

Application "head"	2 pcs
Arch ladder "trunk"	1 pc
Vertical ladder "legs"	1 pc
Sliding pipes "tail"	1 pc
Climbing wall "wing"	2 pcs
Rope net "wing"	2 pcs

MATERIALS:

Construction poles:	steel profiles, galvanized, powder coated in gray
Flat decorative elements:	HDPE sheets
Steel elements:	galvanized steel, powder coated
Surface of slide:	stainless steel
Ropes:	polypropylene braided with a steel, interconnected by plastic fasteners
Climbing wall:	polycarbonate, climbing grips made of material based on resins
Caps:	plastic
Foundations:	concrete min. C12/15 standard



GRUPA SATERNUS S. A.
ul. Nowa 32
41-500 Chorzów, Poland

Certificate beholder:
Producer:
Distributor:

GRUPA SATERNUS S. A. reserves all rights to protect copyright
Under the Act of February 4, 1994 on Copyright and Related Rights
(Journal of Laws No. 28, item 83), and in particular Art. 78 and 79 of this Law.

GRUPA SATERNUS S. A.
Saternus Production Sp. z o.o. sp. k.
Saternus Distribution Sp. z o.o. sp. k.